

L Number	Hits	Search Text	DB	Time stamp
1	7	@ad<19980904 and ((contact and contactless) and (chip or smart) and card and (conver\$5 or translat\$4) and (iso adj "7816") and (format\$5 or protocol)).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:16
2	1	5594233.pn. and reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:08
3	1	5594233.pn. and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:08
-	0	@ad<19980904 and read\$3 and (cpu or processor) and (send\$3 or transmit\$5) and (receiv\$3) and bus and (format or protocol) and (contact and contactless) and (chip adj card) and ((conver\$5 adj (data or messages)) same (format or protocol) same command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:14
-	0	@ad<19980904 and read\$3 and (cpu or processor) and (send\$3 or transmit\$5) and (receiv\$3) and bus and (format or protocol) and (contact and contactless) and (chip adj card) and ((conver\$5 adj (data or messages)) same (format or protocol) same instruct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:15
-	0	@ad<19980904 and read\$3 and (cpu or processor) and (send\$3 or transmit\$5) and (receiv\$3) and bus and (format or protocol) and (contact and contactless) and (chip adj card) and ((conver\$5 adj (data or messages)) same (format or protocol) same instruct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:15
-	0	@ad<19980904 and read\$3 and (cpu or processor) and (send\$3 or transmit\$5) and (receiv\$3) and bus and (format or protocol) and (contact and contactless) and (chip adj card) and ((conver\$5 adj (data or messages)) same (format or protocol) same instruct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:30
-	0	@ad<19980904 and read\$3 and (cpu or processor) and (send\$3 or transmit\$5) and (receiv\$3) and bus and (format or protocol) and (contact and contactless) and ((chip or smart) near5 card) and ((conver\$5 adj (data or messages)) same (format or protocol) same instruct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:30
-	0	@ad<19980904 and read\$3 and (cpu or processor) and (send\$3 or transmit\$5) and (receiv\$3) and bus and (format or protocol) and (contact and contactless) and ((chip or smart) near5 card) and ((conver\$5 adj (data or messages)) same (format or protocol) same command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:30

-	0	@ad<19980904 and read\$3 and (cpu or processor) and (send\$3 or transmit\$5) and (receiv\$3 or receipt\$3) and bus and (format or protocol) and (contact and contactless) and ((chip or smart) near5 card) and ((conver\$5 adj (data or messages)) same (format or protocol) same command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:31
-	1	@ad<19980904 and read\$3 and (cpu or processor) and (send\$3 or transmit\$5) and (receiv\$3 or receipt\$3) and bus and (format or protocol) and (contact and contactless) and ((chip or smart) near5 card) and ((conver\$5 near5 (data or messages)) same (format or protocol) same command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:37
-	1	@ad<19980904 and read\$3 and (cpu or process\$3) and (send\$3 or transmit\$5) and (receiv\$3 or receipt\$3) and bus and (format or protocol) and (contact and contactless) and ((chip or smart) near5 card) and ((conver\$5 near5 (data or messages)) same (format or protocol) same command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:37
-	1	@ad<19980904 and read\$3 and (cpu or process\$3) and (send\$3 or transmit\$5) and (receiv\$3 or receipt\$3) and bus and (format or protocol) and (contact and contactless) and ((chip or smart) near5 card) and ((conver\$5 near5 (data or messages)) same (format or protocol) same (command or instruct\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:38
-	2	@ad<19980904 and ((format or protocol) and (contact and contactless) and ((chip or smart) near5 card) and ((conver\$5 near5 (data or messages)) same (format or protocol) same (command or instruct\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:04
-	5	@ad<19980904 and ((format or protocol) and (contact and contactless) and ((chip or smart) same card) and ((conver\$5 same (data or messages)) same (format\$5 or protocol) same (command or instruct\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:49
-	0	@ad<19980904 and ((format or protocol) same (contact and contactless)) and (((chip or smart) same card) same (conver\$5 same (data or messages)) same (format\$5 or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:51
-	0	@ad<19980904 and ((contact and contactless) same (chip or smart) same card same (conver\$5 same (data or messages)) same (format\$5 or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:52
-	0	@ad<19980904 and ((contact and contactless) same (chip or smart) same card same conver\$5 same (format\$5 or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:53
-	7	@ad<19980904 and ((contact and contactless) and (chip or smart) and card and conver\$5 and (iso adj "7816") and (format\$5 or protocol)).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:03
-	21	@ad<19980904 and ((contact and contactless) and (chip or smart) and card and (conver\$5 or translat\$4) and (iso adj "7816") and (format\$5 or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:22

-	1	5594233.pn. and convert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 15:48
-	1	5594233.pn. and (convert\$3 or translat\$4) and protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 15:25